


P2024 thru P2070 - O.D. Tubing
Clamp (1-5/8" Series)

O.D. Tubing Clamps P2000 series are designed for use with standard tube sizes. These clamps are commonly used for trapeze supports, wall supports, vertical runs, attachment to poles, OEM applications, and general framing needs. For application examples, refer to our Application Showcase.

Features

- Clamps standard tube sizes
- Easy installation
- This series is available in Electrogalvanized (EG), Hot-Dip Galvanized (HG), Stainless Steel (SS) and Aluminum (AL).
- Made in the USA



Catalog Number	Trade Size	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2024 AL	¼	Aluminum		0.03	3
P2024 EG	¼	Steel	Electrogalvanized	0.08	8
P2024 HG	¼	Steel	Hot-Dip Galvanized	0.09	9
P2024 SS	¼	Stainless Steel - 304		0.08	8
P2025 AL	⅜	Aluminum		0.03	3
P2025 EG	⅜	Steel	Electrogalvanized	0.08	8
P2025AS EG	⅜	Steel	Electrogalvanized	0.08	8
P2025 HG	⅜	Steel	Hot-Dip Galvanized	0.09	9
P2025 SS	⅜	Stainless Steel - 304		0.08	8
P2026 AL	½	Aluminum		0.03	3
P2026AS EG	½	Steel	Electrogalvanized	0.09	9
P2026 EG	½	Steel	Electrogalvanized	0.09	9
P2026 HG	½	Steel	Hot-Dip Galvanized	0.1	10
P2026 SS	½	Stainless Steel - 304		0.09	9
P2027 AL	⅝	Aluminum		0.04	4
P2027 EG	⅝	Steel	Electrogalvanized	0.1	10
P2027AS EG	⅝	Steel	Electrogalvanized	0.1	10
P2027 HG	⅝	Steel	Hot-Dip Galvanized	0.11	11
P2027 SS	⅝	Stainless Steel - 304		0.1	10
P2027 ZD	⅝	Steel	Zinc Dichromate	0.1	10
P2028 AL	¾	Aluminum		0.04	4
P2028AS EG	¾	Steel	Electrogalvanized	0.11	11
P2028 EG	¾	Steel	Electrogalvanized	0.11	11
P2028 HG	¾	Steel	Hot-Dip Galvanized	0.11	11
P2028 SS	¾	Stainless Steel - 304		0.11	11
P2028 ZD	¾	Steel	Zinc Dichromate	0.11	11
P2029 AL	⅞	Aluminum		0.04	4
P2029AS EG	⅞	Steel	Electrogalvanized	0.12	12



Catalog Number	Trade Size	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2029 EG	7/8	Steel	Electrogalvanized	0.12	12
P2029 HG	7/8	Steel	Hot-Dip Galvanized	0.12	12
P2029 SS	7/8	Stainless Steel - 304		0.12	12
P2029 ZD	7/8	Steel	Zinc Dichromate	0.12	12
P2030 DF	1	Steel	Defender	0.14	14
P2030 AL	1	Aluminum		0.07	7
P2030 EG	1	Steel	Electrogalvanized	0.14	14
P2030 HG	1	Steel	Hot-Dip Galvanized	0.14	14
P2030 SS	1	Stainless Steel - 304		0.14	14
P2030 ST	1	Stainless Steel - 316		0.14	14
P2030 ZD	1	Steel	Zinc Dichromate	0.14	14
P2031 DF	1 1/8	Steel	Defender	0.16	16
P2031 AL	1 1/8	Aluminum		0.05	5
P2031AS EG	1 1/8	Steel	Electrogalvanized	0.15	15
P2031 EG	1 1/8	Steel	Electrogalvanized	0.15	15
P2031 HG	1 1/8	Steel	Hot-Dip Galvanized	0.16	16
P2031 SS	1 1/8	Stainless Steel - 304		0.15	15
P2031 ST	1 1/8	Stainless Steel - 316		0.15	15
P2031 ZD	1 1/8	Steel	Zinc Dichromate	0.15	15
P2032 DF	1 1/4	Steel	Defender	0.17	17
P2032 EG	1 1/4	Steel	Electrogalvanized	0.16	16
P2032 HG	1 1/4	Steel	Hot-Dip Galvanized	0.17	17
P2032 SS	1 1/4	Stainless Steel - 304		0.16	16
P2032 ZD	1 1/4	Steel	Zinc Dichromate	0.16	16
P2033 DF	1 3/8	Steel	Defender	0.18	18
P2033 AL	1 3/8	Aluminum		0.06	6
P2033AS EG	1 3/8	Steel	Electrogalvanized	0.17	17
P2033 EG	1 3/8	Steel	Electrogalvanized	0.17	17
P2033 HG	1 3/8	Steel	Hot-Dip Galvanized	0.18	18
P2033 SS	1 3/8	Stainless Steel - 304		0.17	17
P2033 ST	1 3/8	Stainless Steel - 316		0.17	17
P2033 ZD	1 3/8	Steel	Zinc Dichromate	0.17	17
P2034 DF	1 1/2	Steel	Defender	0.18	18
P2034 AL	1 1/2	Aluminum		0.07	7
P2034 EG	1 1/2	Steel	Electrogalvanized	0.18	18
P2034 HG	1 1/2	Steel	Hot-Dip Galvanized	0.18	18
P2034 SS	1 1/2	Stainless Steel - 304		0.18	18
P2034 ST	1 1/2	Stainless Steel - 316		0.18	18
P2035 DF	1 5/8	Steel	Defender	0.2	20
P2035 EG	1 5/8	Steel	Electrogalvanized	0.19	19
P2035AS EG	1 5/8	Steel	Electrogalvanized	0.19	19
P2035 HG	1 5/8	Steel	Hot-Dip Galvanized	0.2	20
P2035 SS	1 5/8	Stainless Steel - 304		0.19	19
P2035 ST	1 5/8	Stainless Steel - 316		0.19	19



Catalog Number	Trade Size	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2037 EG	1 $\frac{7}{8}$	Steel	Electrogalvanized	0.28	28
P2037 HG	1 $\frac{7}{8}$	Steel	Hot-Dip Galvanized	0.29	29
P2037 SS	1 $\frac{7}{8}$	Stainless Steel - 304		0.28	28
P2037 ST	1 $\frac{7}{8}$	Stainless Steel - 316		0.28	28
P2038 DF	2	Steel	Defender	0.31	15.5
P2038 AL	2	Aluminum		0.1	5
P2038 EG	2	Steel	Electrogalvanized	0.31	15.5
P2038 HG	2	Steel	Hot-Dip Galvanized	0.31	15.5
P2038 SS	2	Stainless Steel - 304		0.31	15.5
P2038 ST	2	Stainless Steel - 316		0.31	15.5
P2038 ZD	2	Steel	Zinc Dichromate	0.31	15.5
P2039 DF	2 $\frac{1}{8}$	Steel	Defender	0.34	17
P2039 AL	2 $\frac{1}{8}$	Aluminum		0.11	5.5
P2039AS EG	2 $\frac{1}{8}$	Steel	Electrogalvanized	0.32	16
P2039 EG	2 $\frac{1}{8}$	Steel	Electrogalvanized	0.32	16
P2039 HG	2 $\frac{1}{8}$	Steel	Hot-Dip Galvanized	0.34	17
P2039 SS	2 $\frac{1}{8}$	Stainless Steel - 304		0.32	16
P2039 ZD	2 $\frac{1}{8}$	Steel	Zinc Dichromate	0.32	16
P2040 DF	2 $\frac{1}{4}$	Steel	Defender	0.33	16.5
P2040 EG	2 $\frac{1}{4}$	Steel	Electrogalvanized	0.33	16.5
P2040 HG	2 $\frac{1}{4}$	Steel	Hot-Dip Galvanized	0.33	16.5
P2040 SS	2 $\frac{1}{4}$	Stainless Steel - 304		0.33	16.5
P2042 DF	2 $\frac{1}{2}$	Steel	Defender	0.37	18.5
P2042 AL	2 $\frac{1}{2}$	Aluminum		0.11	5.5
P2042 EG	2 $\frac{1}{2}$	Steel	Electrogalvanized	0.35	17.5
P2042 HG	2 $\frac{1}{2}$	Steel	Hot-Dip Galvanized	0.37	18.5
P2042 SS	2 $\frac{1}{2}$	Stainless Steel - 304		0.35	17.5
P2042 ST	2 $\frac{1}{2}$	Stainless Steel - 316		0.35	17.5
P2043 EG	2 $\frac{3}{8}$	Steel	Electrogalvanized	0.37	18.5
P2043AS EG	2 $\frac{3}{8}$	Steel	Electrogalvanized	0.37	18.5
P2043 HG	2 $\frac{3}{8}$	Steel	Hot-Dip Galvanized	0.37	18.5
P2043 SS	2 $\frac{3}{8}$	Stainless Steel - 304		0.37	18.5
P2044 DF	2 $\frac{3}{4}$	Steel	Defender	0.38	19
P2044 EG	2 $\frac{3}{4}$	Steel	Electrogalvanized	0.38	19
P2044 SS	2 $\frac{3}{4}$	Stainless Steel - 304		0.38	19
P2046 DF	3	Steel	Defender	0.42	21
P2046 AL	3	Aluminum		0.15	7.5
P2046AS EG	3	Steel	Electrogalvanized	0.41	20.5
P2046 EG	3	Steel	Electrogalvanized	0.41	20.5
P2046 HG	3	Steel	Hot-Dip Galvanized	0.42	21
P2046 SS	3	Stainless Steel - 304		0.41	20.5
P2046 ST	3	Stainless Steel - 316		0.41	20.5
P2046 ZD	3	Steel	Zinc Dichromate	0.41	20.5
P2047 EG	3 $\frac{1}{8}$	Steel	Electrogalvanized	0.43	21.5



Catalog Number	Trade Size	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2048 DF	3¼	Steel	Defender	0.45	22.5
P2048 EG	3¼	Steel	Electrogalvanized	0.45	22.5
P2049 EG	3⅜	Steel	Electrogalvanized	0.46	23
P2049 SS	3⅜	Stainless Steel - 304		0.46	23
P2049 ZD	3⅜	Steel	Zinc Dichromate	0.46	23
P2051 DF	3⅜	Steel	Defender	0.59	14.75
P2051 EG	3⅜	Steel	Electrogalvanized	0.56	14
P2051 HG	3⅜	Steel	Hot-Dip Galvanized	0.59	14.75
P2051 SS	3⅜	Stainless Steel - 304		0.56	14
P2051 ST	3⅜	Stainless Steel - 316		0.56	14
P2052 EG	3¾	Steel	Electrogalvanized	0.58	14.5
P2052 SS	3¾	Stainless Steel - 304		0.58	14.5
P2053 EG	3⅞	Steel	Electrogalvanized	0.6	15
P2053 HG	3⅞	Steel	Hot-Dip Galvanized	0.6	15
P2053 SS	3⅞	Stainless Steel - 304		0.6	15
P2053 ZD	3⅞	Steel	Zinc Dichromate	0.6	15
P2055 EG	4⅛	Steel	Electrogalvanized	0.62	15.5
P2055 SS	4⅛	Stainless Steel - 304		0.62	15.5
P2055 ZD	4⅛	Steel	Zinc Dichromate	0.62	15.5
P2056 EG	4¼	Steel	Electrogalvanized	0.64	16
P2056 HG	4¼	Steel	Hot-Dip Galvanized	0.64	16
P2056 SS	4¼	Stainless Steel - 304		0.64	16
P2057 EG	4⅜	Steel	Electrogalvanized	0.66	16.5
P2057 SS	4⅜	Stainless Steel - 304		0.66	16.5
P2059 EG	4⅝	Steel	Electrogalvanized	0.7	17.5
P2059 HG	4⅝	Steel	Hot-Dip Galvanized	0.74	18.5
P2059 SS	4⅝	Stainless Steel - 304		0.7	17.5
P2060 EG	4¾	Steel	Electrogalvanized	0.72	18
P2060 HG	4¾	Steel	Hot-Dip Galvanized	0.77	19.25
P2060 SS	4¾	Stainless Steel - 304		0.72	18
P2061 EG	4⅞	Steel	Electrogalvanized	0.73	18.25
P2061 SS	4⅞	Stainless Steel - 304		0.73	18.25
P2062 AL	5	Aluminum		0.26	6.5
P2062 EG	5	Steel	Electrogalvanized	0.74	18.5
P2062 SS	5	Stainless Steel - 304		0.74	18.5
P2063 EG	5⅛	Steel	Electrogalvanized	0.76	19
P2064 EG	5¼	Steel	Electrogalvanized	0.77	19.25
P2065 EG	5⅜	Steel	Electrogalvanized	0.78	19.5
P2066 EG	5½	Steel	Electrogalvanized	0.79	19.75
P2066 SS	5½	Stainless Steel - 304		0.79	19.75
P2067 EG	5⅝	Steel	Electrogalvanized	0.88	22
P2067 HG	5⅝	Steel	Hot-Dip Galvanized	0.88	22
P2067 SS	5⅝	Stainless Steel - 304		0.88	22
P2067 ZD	5⅝	Steel	Zinc Dichromate	0.88	22



Catalog Number	Trade Size	Material Type	Surface Finish	Part Weight (lb/ea)	Standard Package Weight (lb)
P2068 EG	5 $\frac{3}{4}$	Steel	Electrogalvanized	0.9	22.5
P2068 SS	5 $\frac{3}{4}$	Stainless Steel - 304		0.9	22.5
P2068 ZD	5 $\frac{3}{4}$	Steel	Zinc Dichromate	0.9	22.5
P2069 EG	5 $\frac{7}{8}$	Steel	Electrogalvanized	0.92	23
P2070 EG	6	Steel	Electrogalvanized	0.94	23.5
P2070 SS	6	Stainless Steel - 304		0.94	23.5
P2070-61 EG	6 $\frac{1}{8}$	Steel	Electrogalvanized	0.96	24
P2070-61 SS	6 $\frac{1}{8}$	Stainless Steel - 304		0.96	24
P2070-62 EG	6 $\frac{1}{4}$	Steel	Electrogalvanized	0.98	24.5
P2070-62 SS	6 $\frac{1}{4}$	Stainless Steel - 304		0.98	24.5
P2070-63 EG	6 $\frac{3}{8}$	Steel	Electrogalvanized	0.99	24.75
P2070-64 EG	6 $\frac{1}{2}$	Steel	Electrogalvanized	1	25
P2070-64 SS	6 $\frac{1}{2}$	Stainless Steel - 304		1	25
P2070-66 EG	6 $\frac{3}{4}$	Steel	Electrogalvanized	1.04	26
P2070-66 HG	6 $\frac{3}{4}$	Steel	Hot-Dip Galvanized	1.1	27.5
P2070-66 SS	6 $\frac{3}{4}$	Stainless Steel - 304		1.04	26
P2070-67 EG	6 $\frac{7}{8}$	Steel	Electrogalvanized	1.06	26.5
P2070-67 SS	6 $\frac{7}{8}$	Stainless Steel - 304		1.06	26.5
P2070-67 ZD	6 $\frac{7}{8}$	Steel	Zinc Dichromate	1.06	26.5
P2070-70 EG	7	Steel	Electrogalvanized	1.08	27
P2070-70 SS	7	Stainless Steel - 304		1.08	27
P2070-71 EG	7 $\frac{1}{8}$	Steel	Electrogalvanized	1.1	27.5
P2070-71 SS	7 $\frac{1}{8}$	Stainless Steel - 304		1.1	27.5
P2070-72 EG	7 $\frac{1}{4}$	Steel	Electrogalvanized	1.12	28
P2070-73 EG	7 $\frac{3}{8}$	Steel	Electrogalvanized	1.14	28.5
P2070-74 EG	7 $\frac{1}{2}$	Steel	Electrogalvanized	1.16	29
P2070-75 EG	7 $\frac{5}{8}$	Steel	Electrogalvanized	1.17	29.25
P2070-76 EG	7 $\frac{3}{4}$	Steel	Electrogalvanized	1.19	29.75
P2070-77 EG	7 $\frac{7}{8}$	Steel	Electrogalvanized	1.21	30.25
P2070-80 EG	8	Steel	Electrogalvanized	1.23	30.75
P2070-80 SS	8	Stainless Steel - 304		1.23	30.75
P2070-81 EG	8 $\frac{1}{8}$	Steel	Electrogalvanized	1.25	31.25
P2070-81 SS	8 $\frac{1}{8}$	Stainless Steel - 304		1.25	31.25
P2070-82 EG	8 $\frac{1}{4}$	Steel	Electrogalvanized	1.26	31.5
P2070-82 SS	8 $\frac{1}{4}$	Stainless Steel - 304		1.26	31.5
P2070-83 EG	8 $\frac{3}{8}$	Steel	Electrogalvanized	1.28	32
P2070-84 EG	8 $\frac{1}{2}$	Steel	Electrogalvanized	1.29	32.25
P2070-84 ST	8 $\frac{1}{2}$	Stainless Steel - 316		1.29	32.25